

CNCC Rigging Topos

Combined topo file - updated: 7 Jan 2025

- | | |
|---|---|
| 3 - (Get Down) Shep Pot | 50 - Long Drop |
| 4 - AKA Hole | 51 - Long Kin East Cave and Pot |
| 5 - Alum Pot | 52 - Long Kin West |
| 6 - Aquamole Pot | 53 - Lost Johns' Cave |
| 7 - Aygill Caverns | 54 - Magnetometer Pot |
| 8 - Bar Pot / Small Mammal / Flood Entrance | 55 - Marble Sink |
| 9 - Birks Fell Cave | 57 - Marble Steps Pot |
| 10 - Black Shiver Pot | 58 - Mayday Hole |
| 11 - Boggarts Roaring Holes | 59 - Meregill Hole |
| 12 - Broken Finger Pot | 60 - New Goyden Pot |
| 13 - Brown Hill Pot | 61 - New Rift Pot |
| 14 - Bull Pot | 62 - Newby Moss Cave |
| 15 - Bull Pot of the Witches | 63 - Nick Pot |
| 16 - Calf Holes and Browgill Cave | 64 - North by North End Pot |
| 17 - Car Pot | 65 - Notts Pot |
| 18 - Cote Gill Pot | 66 - Out Sleets Beck Pot |
| 19 - County Pot / Upper Trident | 67 - Pasture Gill Pot |
| 20 - Cow Pot | 68 - Penygghent Pot |
| 21 - Cupcake | 69 - Pillar Holes |
| 22 - Curtain Pot | 70 - Pippikin Pot |
| 23 - Death's Head and Big Meanie | 71 - Pool Sink |
| 24 - Diccan Pot | 72 - Quaking Pot |
| 25 - Disappointment Pot and Marilyn | 73 - Rana Hole (Assynt) |
| 26 - F'ing Hopeless Pot | 74 - Rat Hole |
| 27 - Five Ways Pot | 75 - Rift Pot |
| 28 - Fossil Pot | 76 - Roaring Hole |
| 29 - Foul Pot | 77 - Rowten Pot |
| 30 - Gaping Gill and Dihedral | 78 - Rumbling Hole |
| 31 - Gingling Hole | 79 - Scanty Lardos Pot |
| 32 - Grange Rigg Pot and Christmas Pot | 80 - Sell Gill Holes |
| 33 - Growling Hole | 81 - Short Drop and Gavel |
| 34 - Hall of the Mountain King (Ease Gill) | 82 - Shuttleworth Pot |
| 35 - Hardrawkin Pot | 83 - Simpson's Pot |
| 36 - Henslers Pot | 84 - Spectacle and Vesper Pot |
| 37 - Heron Pot | 85 - Stream Passage Pot |
| 38 - Hunt Pot | 86 - Sunset Hole |
| 39 - Hurnel Moss Pot | 87 - Swinsto Hole |
| 40 - Ireby Fell Cavern | 88 - Tatham Wife |
| 41 - Its a Cracker & Boxhead Pot | 89 - Top Sink |
| 42 - Jingling Pot | 90 - Uamh nan Claig-ionn (Cave of the Skulls) |
| 43 - Jockey Hole | 91 - Valley Entrance - Toyland |
| 44 - Juniper Gulf | 92 - Washfold Pot |
| 45 - Lancaster Hole | 93 - Wretched Rabbit |
| 46 - Langcliffe and Oddmire | 94 - Yockenthwaite Pot |
| 47 - Large Pot | 95 - Yordas Pot and Cave |
| 49 - Little Hull Pot | |

COUNCIL FOR THE NORTHERN CAVING COMMUNITY

Important safety information about using CNCC descriptions and rigging topos

This MUST be read and understood by anyone using a CNCC-provided cave description or rigging topo

These descriptions and rigging topos are provided by the CNCC for use by experienced cavers only in assisting with trip planning and route-finding on some of the popular sporting routes in our region. They are not exhaustive, they do not cover every passage or feature, and details may have been greatly simplified to try to keep them concise and clear.

Great efforts have been made to ensure the accuracy and integrity of the information. Nonetheless, there will be errors and (over time) an increasing number of inaccuracies due to changes in the caves and the replacement of anchors. The descriptions may also contain subjective viewpoints which could be open to misinterpretation. It is entirely incumbent upon cavers to exercise appropriate care and caution when going underground using these topos and descriptions, and to have researched the trip from several other sources. Never make any safety critical decisions based on the information in these descriptions or topos.

Pull-through trips must only ever be undertaken by cavers who are totally confident in finding the lower route out of the cave, and that this route is passable and appropriately rigged, and who understand the extra precautions and techniques demanded of such trips (e.g. carrying multiple ropes in case one gets stuck and pull-through technique using an assortment of belays).

The rope lengths stated in the rigging topos are considered the minimum length required based on average rigging. There may be errors, or you might use more rope than anticipated. For this reason, it is critical that strong and well-tightened knots are placed on both ends of ropes during packing, to prevent falling off the end of a too-short rope, irrespective of which end is deployed first.

Difficulty ratings, or 'grades' have been omitted from these descriptions. All cavers must make their own informed judgements of whether the cave is suitable for their capabilities, backed up by thorough research into the nature of the cave from numerous sources and an understanding of the capabilities of others in your group.

Many in-situ fixed aids such as ropes and ladders are mentioned throughout our descriptions. These must only be considered navigational markers and never as safety critical belays. The CNCC does not install any fixed ropes in caves. Ladders, even if CNCC-installed, should always be used with a separate belay. The only fixed aids installed and endorsed by CNCC are stainless steel resin bonded anchors shown on the topos, and in a few carefully selected locations, other appropriate fixed aids which will be listed on our website. Never trust your safety exclusively to a rope or ladder which has been left in a cave or is of unknown integrity.

When using stainless steel resin bonded anchors you must understand the importance of belaying your rope to multiple anchors, including use of full traverse ropes leading to pitch heads, and always performing a thorough pre-use inspection on every anchor. Details of how to perform a pre-use inspection, and other anchor safety information can be found on our website. This, along with our fixed aids participation statement, must be read and understood by anyone using CNCC-installed anchors.

Rigging must always be performed to avoid any rub points or other hazards. Rigging exactly as depicted in the rigging topos does not guarantee a rub-free descent; this must be assessed and ensured by each individual caver on each pitch in every cave.


Many caves which are susceptible to danger from flooding have been highlighted in the descriptions. However, all caves, even typically dry ones, can flood in various circumstances, and it is therefore critical that the experienced caver using these descriptions makes their own judgement based on experience, extensive research and weather forecasts. Decisions to descend any cave after or during wet weather, or when wet weather is forecast, should be made based on an informed judgement backed up by thorough research from multiple sources. The critical motto which should be adhered to is "If in doubt, stay out!"

Although warnings are provided where there are some specific known hazards, the absence of a warning does not indicate that there are no hazards. Caves can (and do) change over time. Furthermore, the CNCC does not perform routine inspections or surveys of caves to look for specific hazards (e.g. loose rocks). All cavers are strongly advised to view the webpage on the CNCC website for their chosen cave to check for any warnings that have come to our attention. Experienced cavers using these descriptions must make their own evaluations for hazards throughout the duration of their trip and act appropriately to mitigate any risks.


Neither the authors of the descriptions/topos or the CNCC will accept any responsibility for any damage, injury or loss (however caused) resulting from the use, misuse or misinterpretation of information in these cave descriptions or rigging topos.


(Get Down) Shep Pot


NGR: SD 6706 7804
Get the latest info at: www.cncc.org.uk/cave/shep-pot




Note:
Northern Caves (Allshorn and Swire) describes three further rope-requiring sections to reach the bottom of (Get Down) Shep Pot. This includes a handline climb (Challenger Deep), an exposed traverse (Notts Permitted) and a final small (5m) pitch just prior to the termination where the water vanishes. These three additional features each require a separate 10m rope and assorted slings and krabs. They are not yet fitted with CNCC anchors, so for now these need to be rigged from whatever suitable belays are available.


 Rope

 Wall


 Ledge

 3


Anchor (with ref. number)

 DT


Belay; natural or drilled (with DT)



Deviation; from anchor

 DT

Deviation; natural or drilled (with DT)


 45

Rope length to that point (m)

AKA Hole

Version: 12/2024


NGR: SD 6729 7749
Get the latest info at: www.cncc.org.uk/cave/aka-hole



Alum Pot

NGR: SD 77480 75574

Get the latest info at: www.cncc.org.uk/cave/alum-pot




Aquamole Pot

Version: 03/2023

NGR: SD 69920 78345


Get the latest info at: www.cncc.org.uk/cave/aquamole-pot



Aygill Caverns

NGR: SD 66345 81870

Get the latest info at: www.cncc.org.uk/cave/aygill-caverns




Bar Pot / Small Mammal / Flood Entrance

Version: 04/2024

NGR: SD 75190 72340 (Bar), SD 75205 72455 (Flood)

Get the latest info at: www.cncc.org.uk/cave/bar-pot







Found an error? Please report it at www.cncc.org.uk/caving/topos

Birks Fell Cave

Version: 12/2017

NGR: SD 9309 7700

Get the latest info at: www.cncc.org.uk/cave/birks-fell-cave



Note: there are also anchors above The Block - 10m rope required.

Some notes on the area around The Block...

There is a squeeze beneath The Block that requires a little thought as it emerges directly into space over a 2m drop. Then "Not for the Faint Hearted" suggests 4m ahead on the left hand wall is a 5m climb down. Many people may find this climb intimidating.


There are at least two alternatives - first is the small triangular hole directly beneath The Block but this is loose and tight so care is required, but is much easier if you fit. At the far end of the rift, along the floor of wedged boulders, are three anchors. These provide a hang down that avoids the other two routes, but care is required as there is a loose bridge of boulders half way down. This requires a 12m rope and lands just at the bend in the passage before Cascade Pitch.

Black Shiver Pot

Version: 07/2015

NGR: SD 73698 75428

Get the latest info at: www.cncc.org.uk/cave/black-shiver-pot






Found an error? Please report it at
www.cncc.org.uk/caving/topos

Boggarts Roaring Holes



Version: 05/2020

NGR: SD 72853 72835



Get the latest info at: www.cncc.org.uk/cave/boggarts-roaring-holes



Pitches 1,2 & 3 can be rigged with 1x 60m rope.



Pitches 5 & 6 can be rigged from 1x 60m rope.




- Anchor (with number)
- Natural belay
- ⊕ Drilled thread belay
- Deviation (with distance)

Found an error? Please report it at
www.cncc.org.uk/caving/topos

Broken Finger Pot

NGR: SD 7105 7731

Get the latest info at: www.cncc.org.uk/cave/broken-finger-pot




Brown Hill Pot

Version: 07/2018

NGR: SD 71320 78460

Get the latest info at: www.cncc.org.uk/cave/brown-hill-pot




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2016 - www.cncc.org.uk

Bull Pot

NGR: SD 70202 78747

Get the latest info at: www.cncc.org.uk/cave/bull-pot




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Bull Pot of the Witches

Version: 11/2022

NGR: SD 66265 81310

Get the latest info at: www.cncc.org.uk/cave/bull-pot-of-the-witches





Calf Holes / Browgill Cave

Version: 07/2015

NGR: SD 80400 77580 (Calf Holes), SD 80020 77740 (Browgill Cave)

Get the latest info at: www.cncc.org.uk/cave/calf-holes



Found an error? Please report it at
www.cncc.org.uk/caving/topos


Car Pot

Version: 11/2017

NGR: SD 75542 72486

Get the latest info at: www.cncc.org.uk/cave/car-pot

Anchor type: IC



Found an error? Please report it at
www.cncc.org.uk/caving/topos

Cote Gill Pot


Version: 08/2024


NGR: SD 9329 6925
Get the latest info at: cncc.org.uk/cave/cote-gill-pot


Entrance




2nd Pitch




 Rope


 Wall

 Ledge


3




CNCC resin bonded anchor (with ref.)

 Spit


Other anchor (with type, if known)

 DT

Belay; natural or drilled (with DT)



Deviation; from anchor

 DT

Deviation; natural or drilled (with DT)

45




Rope length to that point (m)

County Pot / Upper Trident

Version: 04/2024

NGR: SD 6753 8058

Get the latest info at: www.cncc.org.uk/cave/county-pot



	Rope		Wall		Ledge
	CNCC resin bonded anchor (with ref.)				
	Other anchor (with type, if known)				
	Belay; natural or drilled (with DT)				
	Deviation; from anchor				
	Deviation; natural or drilled (with DT)				
45	Rope length to that point (m)				


Optional Ropes for Climbs

- Broadway - 12m - natural belay
- Poetic Justice (up) - 9m - natural belay
- Manchester Bypass - 15m for ladder belay and then Brown and Smelly Chamber climb (natural belay)

Cow Pot

NGR: SD 66427 80857

Get the latest info at: cncc.org.uk/cave/cow-pot



Cupcake


Version: 11/2017

NGR: SD 6672 7842


Get the latest info at: www.cncc.org.uk/cave/cupcake




1. Entrance




2. Splash Down




3. Mud




4. Limbo Pitch UP (no in-situ rope)




5. Slither Aven




6. Bendall's Dilemma



7. Hubert Carstairs
(both pitches are UP)



8. Breakthrough Pitch



9. Count Lazo Strognoff's Aven


Found an error? Please report it at
www.cncc.org.uk/caving/topos

Curtain Pot

Version: 04/2021

NGR: SD 85933 69230

Get the latest info at: www.cncc.org.uk/cave/curtain-pot




Death's Head Hole / Big Meanie

Version: 05/2023

NGR: SD 66787 79163 (Death's Head), SD 66677 79175 (Big Meanie)

Get the latest info at: cncc.org.uk/cave/deaths-head-hole or cncc.org.uk/cave/big-meanie




Diccan Pot

Version: 05/2021

NGR: SD 77414 75681

Get the latest info at: www.cncc.org.uk/cave/diccan-pot




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Disappointment Pot / Marilyn

Version: 05/2024

NGR: SD 75050 72610 (Dis.), SD 75235 72450 (Marilyn)


Get the latest info at: cncc.org.uk/cave/disappointment-pot



F'ing Hopeless Pot

NGR: SD 67087 77707

Get the latest info at: www.cncc.org.uk/cave/fing-hopeless-pot




- | | |
|-----------------|---|
| ● ³ | Anchor (with number) |
| ○ ^{DT} | Natural belay or drilled thread (with DT) |
| — | Rope |
| — | Wall |
| - - - | Ledge |
| ○ ^{DT} | Deviation; natural or drilled thread (DT) |
| ● | Deviation; from anchor |
| 45 | Rope length to that point |

Found an error? Please report it at
www.cncc.org.uk/caving/topos

Five Ways Pot

NGR: SD 72967 73255
Get the latest info at: www.cncc.org.uk/cave/five-ways-pot








Fossil Pot

Version: 05/2024

NGR: SE 019 668

Get the latest info at: cncc.org.uk/cave/fossil-pot



Found an error? Please report it at
www.cncc.org.uk/caving/topos




Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2024 - www.cncc.org.uk

FOUL Pot

NGR: SD 85050 70150

Get the latest info at: www.cncc.org.uk/cave/foul-pot

Version: 04/2023



- Anchor (with number)
- ^{DT} Natural belay or drilled thread (with DT)
- Rope — Wall - - Ledge
- ^{DT} Deviation; natural or drilled thread (DT)
- Deviation; from anchor
- 45** Rope length for section shown (m)

Found an error? Please report it at
www.cncc.org.uk/caving/topos


Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
 Sam Allshorn & Council of Northern Caving Clubs 2023 - www.cncc.org.uk

Gaping Gill / Dihedral

Version: 03/2023

NGR: SD 75120 72690

Get the latest info at: www.cncc.org.uk/cave/gaping-gill



Gingling Hole

Version: 09/2019

NGR: SD 8550 7017

Get the latest info at: www.cncc.org.uk/cave/gingling-hole


Ent




2nd




3rd




4th



5th



6th




Big Rift Route:


7th



8th




9th



10th




17



Big Pitch Route:




Ammered Ole



35

50




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Grange Rigg Pot / Christmas Pot

Version: 07/2015

NGR: SD 75490 72715 (Grange Rigg), SD 75735 72695 (Christmas)

Get the latest info at: www.cncc.org.uk/cave/grange-rigg-pot



Found an error? Please report it at
www.cncc.org.uk/caving/topos

Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2016 - www.cncc.org.uk


Growling Hole

NGR: SD 7125 7749

Get the latest info at: www.cncc.org.uk/cave/growling-hole


1. Waterfall Inlet Pitch

A drilled thread on the left wall provides a backup for the pitch rigged from an anchor on the right wall. No rebelay is required at the ledge.




2. Scimitar Pitch

A large spike enables an optional handline to be rigged for the 3 m descent.



3. Stemple Pitch


A high anchor on the right provides an initial backup. An ascending traverse leads to the anchors for a Y hang at the pitch head.



4. The Fault Pitch

The impressive final pitch is rigged initially from a large calcite column and an anchor in the roof. Careful positioning of the Y-hang ensures a rub-free descent to the Y-hang rebelay found just before the rift widens.


No rebelay is required at the first ledge but there are anchors on the right-hand wall at the second ledge for a rebelay. A deviation from a thread on the opposite wall is required to avoid rope rub for the final hang.



Hall of the Mountain King

Version: 04/2018

Ease Gill Caverns / Peterson Pot / Pippikin Pot / Mistral Cave




Harddrawkin Pot

Version: 02/2021

NGR: SD 74500 76770

Get the latest info at: www.cncc.org.uk/cave/harddrawkin-pot




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Hensler's Pot

Version: 07/2015

NGR: SD 75285 72530

Get the latest info at: www.cncc.org.uk/cave/henslers-pot




Heron Pot

Version: 07/2015

NGR: SD 71440 78760

Get the latest info at: www.cncc.org.uk/cave/heron-pot




Hunt Pot

Version: 07/2015

NGR: SD 82635 74040

Get the latest info at: www.cncc.org.uk/cave/hunt-pot




Hurnell Moss Pot

Version: 03/2023

NGR: SD 74501 72422

Get the latest info at: www.cncc.org.uk/cave/hurnell-moss-pot




Ireby Fell Cavern

Version: 10/2023

NGR: SD 67357 77349

Get the latest info at: www.cncc.org.uk/cave/ireby-fell-cavern




It's a Cracker & Boxhead Pot

It's a Cracker NGR: SD

Get the latest info at: www.cncc.org.uk/cave/its-a-cracker

Boxhead NGR: SD 67090 78360

Get the latest info at: www.cncc.org.uk/cave/boxhead-pot



Jingling Pot


Version: 03/2024

NGR: SD 69890 78372

Get the latest info at: www.cncc.org.uk/cave/jingling-pot

TREE WARNING:

Due to Ash Dieback, always check the health and be satisfied with the integrity of trees before using them as a belay.



Jockey Hole


Version: 01/2021

NGR: SD 7609 7295

Get the latest info at: www.cncc.org.uk/cave/jockey-hole

NOTE:

Ignore the obvious P-anchors on the block at the top of the shaft (this route requires rebelay and deviations using unofficial anchors and is not shown on this topo). The first pitch shown on this topo is found down the smaller hole.




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Juniper Gulf

Version: 07/2015

NGR: SD 76577 73324

Get the latest info at: www.cncc.org.uk/cave/juniper-gulf




Found an error? Please report it at
www.cncc.org.uk/caving/topos


Lancaster Hole


NGR: SD 66430 80758


Get the latest info at: cncc.org.uk/cave/lancaster-hole

Version: 02/2024


 Rope

 Wall


 Ledge

 3


CNCC resin bonded anchor (with ref.)




Other anchor (with type, if known)

 DT


Belay; natural or drilled (with DT)





Deviation; from anchor

 DT

Deviation; natural or drilled (with DT)

 45




Rope length to that point (m)



Langcliffe Pot & Oddmire Pot

Version: 04/2021

Get the latest info at: www.cncc.org.uk/cave/langcliffe-pot
www.cncc.org.uk/cave/oddmire-pot




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Large Pot (Entrance & Colossus)

Version: 12/2017

NGR: SD 68230 76870

Get the latest info at: www.cncc.org.uk/cave/large-pot




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Large Pot (Red Herring Series)





Version: 12/2017

NGR: SD 68230 76870

Get the latest info at: www.cncc.org.uk/cave/large-pot



NOTE: Red Herring Series also requires ropes for first three pitches to Thornton Hall (previous page)




Little Hull Pot

Version: 05/2022

NGR: SD 82175 74412


Get the latest info at: cncc.org.uk/cave/little-hull-pot



Found an error? Please report it at
www.cncc.org.uk/caving/topos

Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
 Council of Northern Caving Clubs 2022 - www.cncc.org.uk

Get the latest info at: www.cncc.org.uk/cave/long-drop-cave




Long Kin East Cave and Pot

Version: 11/2020

NGR: SD 76275 73085 (Cave), SD 76215 72915 (Pot)

Get the latest info at: www.cncc.org.uk/cave/long-kin-east




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Long Kin West

Version: 07/2015

NGR: SD 73095 72460

Get the latest info at: www.cncc.org.uk/cave/long-kin-west




Lost Johns' Cave

Version: 03/2021

NGR: SD 67075 78632

Get the latest info at: www.cncc.org.uk/cave/lost-johns-cave




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Magnetometer Pot


Version: 12/2017

NGR: SD 84583 69504

Get the latest info at: www.cncc.org.uk/cave/magnetometer-pot



Entrance. Belay from two large rings in concrete pipe. Rings are too large for a standard karabiners so slings required.








Marble Sink

Version: 04/2018
MS / TB

NGR: SD 75934 72969

Get the latest info at: www.cncc.org.uk/cave/marble-sink



Found an error? Please report it at
www.cncc.org.uk/caving/topos

NGR: SD 75934 72969

Get the latest info at: www.cncc.org.uk/cave/marble-sink

Many of the obstacles in Marble Sink provide a substantial challenge on the descent, and are significantly harder on the return. The cave provides a superb trip, but should not be underestimated.

This rigging guide and text are not intended to be a full description of the trip; a thorough description of the cave can be found in 'Not For The Faint Hearted' by Mike Cooper.

1st pitch

Pillar Pot is likely to be approached feet-first from the entrance, since it is possible for only the smallest people to turn around at the pitch head. Tackling the pitch head first would be particularly committing. A Y-hang on the true left wall enables a descent to where the shaft opens out, and small ledges provide a stance for rigging the rebelay that gives a clear hang to the floor.

2nd pitch

The take-off for The Razor is situated just beyond two large boulders wedged in the rift. A high anchor provides a backup, and the lower anchor provides a free hang to the floor.

3rd pitch

Split Pot is situated just beyond Speaker's Corner, found by following the spacious rift upwards as the stream cuts down below. A carefully positioned Y-hang provides a rub-free descent through a narrowing and down to the stream below.

4th pitch

The last few metres of David's traverse may be protected using a drilled thread on the true left wall. A Y-hang (also on the true left) at the end of the traverse followed immediately by a deviation from a flake on the opposite wall provides a clear hang down Discovery Pot to ledges about 5 m above the stream. The stream can be reached by continuing to abseil, or by free-climbing the remaining drop.

5th pitch


Fault Chimney is situated just downstream from Discovery Pot. A collection of columns provide options for a back-up, and an anchor in the roof just beyond provides a better descent than the alternative floor-level flakes.

Marble Steps Pot

Version: 07/2015

NGR: SD 68007 77062


Get the latest info at: www.cncc.org.uk/cave/marble-steps-pot



Mayday Hole

Version: 08/2021

NGR: SD 7279 7252
Get the latest info at: www.cncc.org.uk/cave/mayday-hole




Meregill Hole

Version: 01/2023

NGR: SD 74030 75730

Get the latest info at: www.cncc.org.uk/cave/meregill-hole




Found an error? Please report it at
www.cncc.org.uk/caving/topos

New Goyden Pot

Version: 07/2015

NGR: SE 1015 7542

Get the latest info at: www.cncc.org.uk/cave/new-goyden-pot




New Rift Pot

Version: 12/2017

NGR: SD 67917 76892

Get the latest info at: www.cncc.org.uk/cave/new-rift-pot




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2017 - www.cncc.org.uk

Newby Moss Cave

NGR: SD 743 723

Get the latest info at: www.cncc.org.uk/cave/newby-moss-cave




Nick Pot

Version: 11/2018

NGR: SD 77015 73742


Get the latest info at: www.cncc.org.uk/cave/nick-pot



Version: 06/2024

Get the latest info at: cncc.org.uk/cave/north-by-north-end-pot





Notts Pot

NGR: SD 67100 77805

Info: cncc.org.uk/cave/notts-pot

Version: 01/2025


Found an error? Please report it at: cncc.org.uk/caving/topos

Out Sleets Beck Pot

Version: 07/2015

NGR: SD 86800 73710

Get the latest info at: www.cncc.org.uk/cave/out-sleets-beck-pot







Pasture Gill Pot



Version: 04/2021

NGR: SD 90564 79392

Get the latest info at: www.cncc.org.uk/cave/pasture-gill-pot



6th pitch is bypassed via bedding on the right and a climb down a massive slab.






Stal and 2 drilled holes in roof.
Thin or flexible sling needed for 2x 18mm holes.

Penyghent Pot

Version: 09/2019

NGR: SD 8289 7332

Get the latest info at: www.cncc.org.uk/cave/penyghent-pot



5th
(natural belays
around jammed
blocks)



6th: Coffin Pitch
(re-belay from
jammed block)



7th: Flake Pitch
(natural belay
from flake)



8th



8th
Alternative



Awkward
climb
(short rope or sling)



9th:
Myers Leap




10th

Extensions:



Eyrie Pot




Jason's
Pitch

Pillar Holes

Version: 11/2022

NGR: SD 73292 72385

Get the latest info at: www.cncc.org.uk/cave/pillar-holes



Found an error? Please report it at
www.cncc.org.uk/caving/topos


Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2022 - www.cncc.org.uk

Pippikin Pot

Version: 12/2017

NGR: SD 66680 79982

Get the latest info at: www.cncc.org.uk/cave/pippikin-pot



Found an error? Please report it at
www.cncc.org.uk/caving/topos


Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2017 - www.cncc.org.uk

Pool Sink

Version: 06/2023

NGR: SD 67717 80725

Get the latest info at: www.cncc.org.uk/cave/pool-sink




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Quaking Pot

Version: 02/2019

NGR: SD 7304 7401

Get the latest info at: www.cncc.org.uk/cave/quaking-pot





Rana Hole

Version: 09/2019

NGR: NM 26895 16768

Get the latest info at: www.cncc.org.uk/cave/rana-hole




Rat Hole

Version: 07/2015

NGR: SD 75060 72770

Get the latest info at: www.cncc.org.uk/cave/gaping-gill




Rift Pot (Allotment)

Version: 01/2023

NGR: SD 76092 72898

Get the latest info at: www.cncc.org.uk/cave/rift-pot




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Roaring Hole

Version: 08/2018

NGR: SD 74250 76375

Get the latest info at: www.cncc.org.uk/cave/roaring-hole




Further pitch to downstream sump requires 15m rope but is not normally descended.

Rowten Pot

Version: 03/2024

NGR: SD 69810 78000

Get the latest info at: cncc.org.uk/cave/rowten-pot



Found an error? Please report it at
www.cncc.org.uk/caving/topos


Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2024 - www.cncc.org.uk

Rumbling Hole

Version: 03/2023

NGR: SD 67112 79115

Get the latest info at: www.cncc.org.uk/cave/rumbling-hole



Found an error? Please report it at
www.cncc.org.uk/caving/topos


Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2023 - www.cncc.org.uk

Scanty Lardos Pot

Version: 7/2021




NGR: SD 87765 74892


Get the latest info at: www.cncc.org.uk/cave/scanty-lardos



3●Anchor (with number)

○^{DT}Natural belay or drilled thread (with DT)

 Rope  Wall  Ledge

^{DT} Deviation; natural or drilled thread (DT)


35 Rope length (in metres) to that point

Sell Gill Holes

Version: 09/2021

NGR: SD 81183 74347

Get the latest info at: www.cncc.org.uk/cave/sell-gill-holes



Found an error? Please report it at
www.cncc.org.uk/caving/topos


Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2021 - www.cncc.org.uk

Short Drop Cave & Gavel Pot

Version: 01/2025

NGR: SD 67015 78922 (Short Drop), SD 66607 79062 (Gavel)

Info: cncc.org.uk/cave/short-drop-cave / cncc.org.uk/cave/gavel-pot




Found an error? Please report it at: cncc.org.uk/caving/topos

Shuttleworth Pot

Version: 07/2015

NGR: SD 66213 79773

Get the latest info at: www.cncc.org.uk/cave/shuttleworth-pot




Found an error? Please report it at
www.cncc.org.uk/caving/topos

Simpson's Pot

Version: 07/2024

NGR: SD 69615 77880

Get the latest info at: www.cncc.org.uk/cave/simpsons-pot




Spectacle Pot / Vesper Pot

Version: 07/2015

NGR: SD 71280 77840 (Spectacle), SD 71185 77620 (Vesper)

Get the latest info at: www.cncc.org.uk/cave/spectacle-pot or www.cncc.org.uk/cave/vesper-pot



Found an error? Please report it at
www.cncc.org.uk/caving/topos


Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2016 - www.cncc.org.uk

Stream Passage Pot

Version: 07/2015

NGR: SD 74835 72535

Get the latest info at: www.cncc.org.uk/cave/stream-passage-pot




Sunset Hole

Version: 07/2015

NGR: SD 74217 75907

Get the latest info at: www.cncc.org.uk/cave/sunset-hole



Found an error? Please report it at
www.cncc.org.uk/caving/topos


Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2016 - www.cncc.org.uk

Swinsto Hole

Version: 06/2023

NGR: SD 69377 77532

Get the latest info at: www.cncc.org.uk/cave/swinsto-hole



Found an error? Please report it at
www.cncc.org.uk/caving/topos


Licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Council of Northern Caving Clubs 2023 - www.cncc.org.uk

Tatham Wife Hole

Version: 10/2023

NGR: SD 73180 74707



Get the latest info at: www.cncc.org.uk/cave/tatham-wife-hole



Top Sink

NGR: SD 68055 81115
Info: cncc.org.uk/cave/top-sink


Version: 01/2025



	Rope		Wall		Ledge
	3	CNCC resin bonded anchor (with ref.)			
	Spit	Other anchor (with type, if known)			
	DT	Belay; natural or drilled (with DT)			
		Deviation; from anchor			
	DT	Deviation; natural or drilled (with DT)			
	45	Rope length to that point (m)			

Uamh nan Claig-ionn, Appin - NM 98203 51388

(Cave of the Skulls)



Equipment required

Gully	5 m rope
1st Pitch	15 m rope
Popleton Pot	25 m rope
Dealer's Drop	12 m rope
Chest Pot	16 m rope


Screw gate krabs/MRs	17
Snap gate karabiners	1

Valley Entrance - Toyland

Version: 07/2020

NGR: SD 6989 7742

Get the latest info at: www.cncc.org.uk/cave/valley-entrance



Found an error? Please report it at
www.cncc.org.uk/caving/topos


Washfold Pot

Version: 05/2017

NGR: SD 77442 76552

Get the latest info at: www.cncc.org.uk/cave/washfold-pot

NOTE: Second Pitch free-climbable; 5m handline useful




Wretched Rabbit

Version: 01/2025

NGR: SD 67639 80666

Info: cncc.org.uk/cave/wretched-rabbit




Yockenthwaite Pot

Version: 08/2024

NGR: SD 90104 79604

Get the latest info at: cncc.org.uk/cave/yockenthwaite-pot

Entrance




2nd Pitch



3rd Pitch



4rd Pitch




	Rope		Wall		Ledge
	CNCC resin bonded anchor (with ref.)				
	Spit				
	DT				
	Deviation; from anchor				
	DT				
	45				
	Rope length to that point (m)				

Yordas Pot and Cave

Version: 12/2020

NGR: SD 70455 79137

Get the latest info at: www.cncc.org.uk/cave/yordas-pot



Please note:

Yordas has a number of extra anchors in strange places (mostly in the surface stream).
This is because Yordas has been used as a testbed for a number of years.

Found an error? Please report it at
www.cncc.org.uk/caving/topos